



**Karlovy 2007**



**Měření kvantity bentometrem**


# Bentometr



# Výsledky

		1	2	3	průměr	suma	m <sup>2</sup>
<b>Amphipoda</b>	Amphipoda	58	3	4	21,67	65	216,67
<b>Trichoptera</b>	Limnephilidae	1	0	3	1,33	4	13,33
	Rhyacophilidae	0	1	3	1,33	4	13,33
	Philopotamidae	0	0	1	0,33	1	3,33
	Sericostomatidae	8	0	5	4,33	13	43,33
<b>Ephemeroptera</b>	Leptophlebiidae	5	0	7	4,00	12	40,00
	Heptagenidae	11	26	35	24,00	72	240,00
<b>Plecoptera</b>	Perlodidae	2	0	0	0,67	2	6,67
<b>Diptera</b>	Rhagionidae(Athericidae)	0	0	1	0,33	1	3,33
	Simulidae	0	1	2	1,00	3	10,00
	Limoniidae	4	0	0	1,33	4	13,33
<b>Coleoptera</b>	Elmidae	3	2	3	2,67	8	26,67
<b>Mollusca</b>	Ancylidae	0	1	0	0,33	1	3,33
<b>Turbelaria</b>	Dugesia Gonocephala	0	1	0	0,33	1	3,33
<b>Celkem</b>		92	35	64			636,67

# Výsledky



- Amphipoda
- Limnephilidae
- Rhyacophilidae
- Philopotamidae
- Sericostomatidae
- Leptophlebiidae
- Heptagenidae
- Perlodidae
- Rhagionidae(Athericidae)
- Simulidae
- Limoniidae
- Elmidae
- Ancyliidae
- Dugesia Gonocephala

Děkujeme za pozornost

